	ODP/MS/JS:js/ (19MAR81)(excess-adp)	STA'
	DISTRIBUTION: 1891 daram e1 ORIGINAL & 1 - ADDRESSEE	
	2 - O/D/ODP 1 - MS CHRONO 2 - ODP REGISTRY	
MEMORANDUM FOR:		
	DDO ADP Control Officer	
•	OTS ADP Control Officer OC ADP Control Officer	
	ORD ADP Control Officer	
	OTE ADP Control Officer Engineering Division, ODP	
STAT	Engineering bivision, obt	
FROM :	Policy and Plans Group, ODP	
SUBJECT :	Excess ADP Equipment	
lists ADP equipm component has a forward a Speed Room 2	tached Property Turn-In Document (Form 1707) ment excess to an office's needs. If your requirement for any of the equipment, please Letter to ODP Management Staff, Attn: 200105, Headquarters by 3 April 1981. The build include the following information from	
Turn-Ir Item No	No. (Document Control No.);	
Nomencl	lature; and ement of the requirement.	
be addressed dir you have any que	chnical questions about the equipment should rectly to the contact named on the form. If estions concerning the reassignment of this se feel free to call me on	STAT
	·	
		STAT
Att: Form 1707;	; No.: 6062-81049-023	

STAT

cc: C/ISSG

Approved For Release 2006/10/31 : CIA-RDP84-00933R000200180038-2

АТ	ODP/MS/JS:js/ 19MAR81)(excess-adp)	
	DISTRIBUTION: ORIGINAL & 1 - ADDRESSEE 2 - O/D/ODP 1 - MS CHRONO 2 - ODP REGISTRY	
		ILLEGI)
!		
!		
:		
	.:	ILLEGI)
		100001
	Approved For Release 2006/10/21 : CIA RDR94 00022R0002001	20020.2

CIA-RDP84-00933R000200180038-2